

Claim Amendments

Claims 1-33. (Cancelled.)

34. (Currently amended.) A light fitting having a front and a rear, the light fitting having a support surround and a front facia, and a facia retainer for holding the front facia in position in the support surround, the facia retainer being resilient for enabling removal ~~of the facia thereof~~ from an installed position ~~thereof~~ at the front of the light fitting by a generally translational movement, the light fitting further having a lamp retainer and a lamp wherein the lamp is retained by the lamp retainer, the front facia having a rear side and a front side, the lamp being resiliently ~~biased~~ biased toward the rear side of the front facia such that the lamp may be moved backwards away from a recessed ledge of the rear side of the front facia to enable a finger or a tool to be engaged behind the ledge to facilitate removal of the front facia from the support surround.

35. (Previously presented.) A light fitting as claimed in claim 34 in which the lamp retainer forms the front facia.

36. (Previously presented.) A light fitting as claimed in claim 34 in which the lamp retainer comprises a tube extending axially in front of the lamp.

37. (Previously presented.) A light fitting as claimed in claim 34 in which the front facia has a non-circular cross-section.

38. (Previously presented.) A light fitting as claimed in claim 37 in which the cross-section is a regular polygon.

39. (Previously presented.) A light fitting as claimed in claim 37 in which the cross-section is hexagonal.

40. (Previously presented.) A light fitting as claimed in claim 37 in which the cross-section is square.
41. (Previously presented.) A light fitting as claimed in claim 34 in which the support surround includes at least one spring arm for holding the light fitting in place on a layer of building material.
42. (Previously presented.) A light fitting as claimed in claim 34 in which the front facia is directly retained by the facia retainer to the support surround.
43. (Previously presented.) A light fitting as claimed in claim 34 in which the front facia is attached by the facia retainer to an intermediate member, the intermediate member being connected to the support surround.
44. (Previously presented.) A light fitting as claimed in claim 43 in which the intermediate member is pivotally coupled to the support surround.
45. (Previously presented.) A light fitting as claimed in claim 43 in which the intermediate member has a non-circular section.
46. (Previously presented.) A light fitting as claimed in claim 45 in which the cross-section of the intermediate member is a regular polygon.
47. (Previously presented.) A light fitting as claimed in claim 46 in which the cross-section of the intermediate member is hexagonal.
48. (Previously presented.) A light fitting as claimed in claim 45 in which the cross-section of the intermediate member is square.
49. (Previously presented.) A light fitting as claimed in claim 34 in which the facia retainer comprises at least one spring clip.

50. (Previously presented.) A light fitting as claimed in claim 49 in which a pair of said spring clips is provided, located on opposed sides of the light fitting.

51. (Previously presented.) A light fitting as claimed in claim 49 in which each spring clip is secured to the front facia.

52. (Previously presented.) A light fitting as claimed in claim 34 in which the resilient biasing for biasing the lamp towards the front facia is provided by a spring.

53. (Previously presented.) A light fitting as claimed in claim 52 in which the spring is a helical spring.

54. (Previously presented.) A light fitting as claimed in claim 52 in which two said springs are provided, each extending from an end of the lamp opposite a lens end thereof to the lamp retainer.

55. (Previously presented.) A light fitting as claimed in claim 54 in which each spring extends from an electrical connector to the lamp retainer.

56. (Previously presented.) A light fitting as claimed in claim 34 in which the facia includes a recessed ledge for engaging the perimeter of a lamp.

57. (Previously presented.) A light fitting as claimed in claim 34 which includes a lamp, the lamp having a flat front surface.

58. (Previously presented.) A light fitting as claimed in claim 34 which comprises a downlighter.